



GRAND TRAVERSE COUNTY HEALTH DEPARTMENT

COMMUNITY HEALTH
2600 LaFranier Road, Suite A
Traverse City, MI 49686
231-995-6111

ENVIRONMENTAL HEALTH
2650 LaFranier Road
Traverse City, MI 49686
231-995-6051

**ADMINISTRATION &
MEDICAL EXAMINER**
2600 LaFranier Road, Suite A
Traverse City, MI 49686
231-995-6100

**EMERGENCY MANAGEMENT &
PUBLIC HEALTH PREPAREDNESS**
2600 LaFranier Road, Suite A
Traverse City, MI 49686
231-995-6100

www.gtchd.org

FOR IMMEDIATE RELEASE – July 2, 2020 Weekly Grand Traverse County Beach Report Samples Collected July 1, Reported July 2

GRAND TRAVERSE BAY

<u>Beach</u>	<u>sample results</u> <u>E. coli count per 100ml</u>	<u>Water Quality Index</u>
West End	2	1
TC Volley Ball Beach	20	1
Clinch Park	2	1
Bryant Park	30	1
East Bay (Milliken) Park	12	1
TC State Park	7	1
Sayler Park	21	1
Sunset Park	2	1
TC Senior Center	4	1
Acme Bayside Park	6	1

INLAND LAKES

<u>Beach</u>	<u>This weeks sample results</u> <u>E. coli count per 100ml</u>	<u>Water Quality Index</u>
Gilbert Park (Long Lake)	5	1
Taylor Park (Long Lake)	2	1
Interlochen State Park (Duck Lake)	26	1
Twin Lakes Park (North Twin Lake)	11	1
Whitewater Township Park (Elk Lake –geomean method)	3	1

<u>Water Quality Index</u>	<u>Body Contact Limits</u>	<u>E.coli/100ml</u> <u>(Single Event)</u>	<u>E.coli/100ml</u> <u>(30 day geo-mean)</u>
Level 1	E. coli levels meet EGLE swimming standards for full body contact.	0-300	0-130
Level 2	E. coli levels meet EGLE standards for wading, fishing, and boating. Contact above the waist not advised.	301-1000	131-1000
Level 3	E. coli levels exceed EGLE standards, no body contact advised.	>1000	>1000
Level 4	Health Alert. E. coli levels and/or known gross contamination of beach waters. Avoid contact with beach waters.		

Note: Beach samples are routinely collected once a week. Therefore E. coli levels may not meet the Michigan Department of Environment, Great Lakes and Energy (EGLE) standards between sampling days. E. coli levels are more likely to increase after a storm.

Note: Beaches are sampled using the composite sampling method approved by EGLE. Follow-up samples after a Level 2, 3, or 4 will utilize geometric mean.